

# PLANTSCREEN™ SYSTEMS

## LIST OF REFERENCES

### PLANTSCREEN™ COMPACT SYSTEM:

SORRENTINO M., PANZAROVÁ K., SPYROGLOU I., SPÍČHAL L., ET AL. (2022). *Integration of Phenomics and Metabolomics Datasets Reveals Different Mode of Action of Biostimulants Based on Protein Hydrolysates in Lactuca sativa L. and Solanum lycopersicum L. Under Salinity. Front. Plant Sci. 12:808711.*

**DOI: 10.3389/fpls.2021.808711**

BLICHARZ, S., BEEMSTER, G. T. S., RAGNI, L., DE DIEGO, N., SPÍČHAL, L., ET AL. (2021). *Phloem exudate metabolic content reflects the response to water-deficit stress in pea plants ( Pisum sativum L.). The Plant Journal, 106(5), 1338–1355.*

**DOI:10.1111/tpj.15240**

CHATTERJEE, J., COE, R. A., ACEBRON, K., THAKUR, V., YENNAMALLI, R. M., ET AL. (2021). *Identification of a low CO<sub>2</sub> responsive mutant from chemical mutagenesis of Setaria viridis shows that reduced carbonic anhydrase severely limits C<sub>4</sub> photosynthesis. Journal of Experimental Botany.*

**DOI: 10.1093/jxb/erab039**

PALONEN, P., LAINE, T., & MOUHU, K. (2021). *Florican yield and berry quality of seven primocane red raspberry (Rubus idaeus L.) cultivars. Scientia Horticulturae, 285, 110201.*

**DOI: 10.1016/j.scienta.2021.110201**

PANDEY, A. K., RUBIALES, D., WANG, Y., FANG, P., SUN, T., LIU, N., & XU, P. (2021). *Omics resources and omics-enabled approaches for achieving high productivity and improved quality in pea (Pisum sativum L.). Theoretical and Applied Genetics, 134(3), 755–776.*

**DOI:10.1007/s00122-020-03751-5**

PAVICIC, M.; OVERMYER, K.; REHMAN A. U. ET AL. (2021). *Image-Based Methods to Score Fungal Pathogen Symptom Progression and Severity in Excised Arabidopsis Leaves. Plants 2021, 10, 158.*

**DOI: 10.3390/plants10010158**

SORRENTINO M., DE DIEGO N., UGENA L., SPÍČHAL L., LUCINI L., MIRAS-MORENO B., ZHANG L., ROUPHAEL Y., COLLA G. AND PANZAROVÁ K. (2021). *Seed Priming With Protein Hydrolysates Improves Arabidopsis Growth and Stress Tolerance to Abiotic Stresses. Front. Plant Sci. 12:626301.*

**DOI: 10.3389/fpls.2021.626301**

AWLIA M., ALSHAREEF N., SABER N., K. PANZAROVÁ, M. TRTÍLEK., ET AL. (2020). *Genetic mapping of the early responses to salt stress in Arabidopsis thaliana. bioRxiv.*

**DOI: 10.1101/2020.10.02.324178**

HÖCKERSTEDT, L., SUSI, H., & LAINE, A. (2020). *Effect of maternal infection on progeny growth and resistance mediated by maternal genotype and nutrient availability. Journal of Ecology.*

**DOI:10.1111/1365-2745.13568**

SORRENTINO M., COLLA G., ROUPHAEL Y., PANZAROVÁ K., TRTÍLEK M. (2020). Lettuce reaction to drought stress: automated high-throughput phenotyping of plant growth and photosynthetic performance. *ISHS Acta Horticulturae* 1268.

**DOI: 10.17660/ActaHortic.2020.1268.17**

FLÜTSCH S., NIGRO A., CONCI F., FAJKUS J., THALMANN M., TRTÍLEK M., PANZAROVÁ K., ET AL. (2020). Glucose uptake to guard cells via STP transporters provides carbon sources for stomatal opening and plant growth. *EMBO Reports* (2020) 21.

**DOI: 10.15252/embr.201949719**

HUSIČKOVÁ, A., HUMPLÍK, J. F., HÝBL, M., SPÍCHAL, L., & LAZÁR, D. (2019). Analysis of Cold-Developed vs. Cold-Acclimated Leaves Reveals Various Strategies of Cold Acclimation of Field Pea Cultivars. *Remote Sensing*, 11(24), 2964.

**DOI:10.3390/rs11242964**

SINGH, A.K.; YADAV, B.S.; DHANAPAL, S.; BERLINER, M.; FINKELSHEIN, A.; CHAMOVITZ, D.A. (2019). CSN5A Subunit of COP9 Signalosome Temporally Buffers Response to Heat in Arabidopsis. *Biomolecules* 2019, 9, 805. *Biomolecules* 805.

**DOI:10.3390/biom9120805**

JANEČKOVÁ, H., HUSIČKOVÁ, A., LAZÁR, D., FERRETTI, U., POSPÍŠIL, P., & ŠPUNDOVÁ, M. (2019). Exogenous application of cytokinin during dark senescence eliminates the acceleration of photosystem II impairment caused by chlorophyll b deficiency in barley. *Plant Physiology and Biochemistry*, 136, 43–51

**DOI:10.1016/j.plaphy.2019.01.005**

MARCHETTI, C. F., UGENA, L., HUMPLÍK, J. F., POLÁK, M., ET AL. (2019). A Novel Image-Based Screening Method to Study Water-Deficit Response and Recovery of Barley Populations Using Canopy Dynamics Phenotyping and Simple Metabolite Profiling. *Frontiers in Plant Science*, 10.

**DOI:10.3389/fpls.2019.01252**

RUNGRAT T., ALMONTE A. A., CHENG R., ET AL. (2019) A Genome-Wide Association Study of Non-Photochemical Quenching in response to local seasonal climates in Arabidopsis thaliana, bioRxiv 539379;

**DOI: <https://doi.org/10.1101/539379>**

WANG, L., POQUE, S., & VALKONEN, J. P. T. (2019). Phenotyping viral infection in sweetpotato using a high-throughput chlorophyll fluorescence and thermal imaging platform. *Plant Methods*, 15(1).

**DOI:10.1186/s13007-019-0501-1**

WEN, Z., RAFFAELLO, T., ZENG, Z., PAVICIC, M., & ASIEGBU, F. O. (2019). Chlorophyll fluorescence imaging for monitoring effects of *Heterobasidion parviporum* small secreted protein induced cell death and in planta defense gene expression. *Fungal Genetics and Biology*.

**DOI:10.1016/j.fgb.2019.02.003**

COE R. A., CHATTERJEE J., ACEBRON K., ET AL. (2018). High-throughput chlorophyll fluorescence screening of *Setaria viridis* for mutants with altered CO<sub>2</sub> compensation points. *Functional Plant Biology*.

**DOI: 10.1071/FP17322**

GANGULY D. R., CRISP P. A., EICHTEN S. R., ET AL. (2018). Maintenance of pre-existing DNA methylation states through recurring excess-light stress. *Plant Cell and Environment*. Vol. 41.

**DOI: 10.1111/pce.13324**

GANGULY D. R., STONE B. A B., EICHTEN S. E., POGSON B. J. (2018). Excess light priming in *Arabidopsis thaliana* with altered DNA methylomes, *bioRxiv* 475798;

**DOI: <https://doi.org/10.1101/475798>**

FICHMAN Y., KONCZ Z., REZNIK N., ET AL. (2018). SELENOPROTEIN O is a chloroplast protein involved in ROS scavenging and its absence increases dehydration tolerance in *Arabidopsis thaliana*. *Plant Science*. Volume 270.

**DOI: 10.1016/j.plantsci.2018.02.023.**

PAVICIC M., MOUHU K., WANG F., ET AL. (2017). Genomic and Phenomic Screens for Flower Related RING Type Ubiquitin E3 Ligases in *Arabidopsis*. *Frontiers in Plant Scienc*. Volume 8.

**DOI: 10.3389/fpls.2017.00416**

AWLIA M., NIGRO A., FAJKUS J., ET AL. (2016): High-throughput non-destructive phenotyping of traits contributing to salinity tolerance in *Arabidopsis thaliana*. Submitted *Frontiers in Plant Sciences*.

**DOI: 10.3389/fpls.2016.01414**

SIMKO I., HAYES R. J. AND FURBANK R. T. (2016). Non-destructive Phenotyping of Lettuce Plants in Early Stages of Development with Optical Sensors. *Frontiers in Plant Science*;7:1985.

**DOI:10.3389/fpls.2016.01985**

HUMPLIK J.F., LAZAR D., FÜRST, T., HUSICKOVA A., HYBL, M. AND SPICHAL L. (2015): Automated integrative high-throughput phenotyping of plant shoots: a case study of the cold-tolerance of pea (*Pisum sativum* L.). *Plant Methods* 19;11:20,

**DOI: 10.1186/s13007-015-0063-9**

#### **PLANTSCREEN™ MODULAR SYSTEM:**

GIRIJA, A., HAN, J., CORKE, F., BROOK, J., DOONAN, J., YADAV, R. ET AL. (2022) Elucidating drought responsive networks in *tef* (*Eragrostis tef*) using phenomic and metabolomic approaches. *Physiologia Plantarum*, 174( 1), e13597. Available from:

**DOI: 10.1111/ppl.13597**

ULLAH, S.; HENKE, M.; NARISSETTI, N.; PANZAROVÁ, K.; TRTÍLEK, M.; HEJATKO, J.; ET AL. (2021). Towards Automated Analysis of Grain Spikes in Greenhouse Images Using Neural Network Approaches: A Comparative Investigation of Six Methods. *Sensors* 21, 7441.

**DOI: 10.3390/s21227441**

ABDELHAKIM, L. O. A., ROSENQVIST, E., WOLLENWEBER, B., OTTOSEN, C.-O., & PANZAROVÁ, K., ET AL. (2021). Investigating Combined Drought- and Heat Stress Effects in Wheat under Controlled Conditions by Dynamic Image-Based Phenotyping. *Agronomy*, 11(2), 364.

**DOI:10.3390/agronomy11020364**

FERRONI, L., ŽIVČAK, M., SYTAR, O., KOVÁR, M., WATANABE, N., ET AL. (2020). Chlorophyll-depleted wheat mutants are disturbed in photosynthetic electron flow regulation but can retain an acclimation ability to a fluctuating light regime. *Environmental and Experimental Botany*, 104156.

**DOI:10.1016/j.envexpbot.2020.1041**

GAO, G., TESTER, M. A., & JULKOWSKA, M. M. (2020). The use of high-throughput phenotyping for assessment of heat stress-induced changes in arabidopsis. *Plant Phenomics*, 2020.

**DOI: 10.34133/2020/3723916**

GAO G., TESTER M. A., JULKOWSKA M. M. (2019). The use of high throughput phenotyping for assessment of heat stress-induced changes in Arabidopsis. *Biorvix*.

**DOI: 10.1101/838102**

GONZALEZ-BAYON, R., SHEN, Y., GROSZMANN, M., ZHU, A., WANG, A., ET AL. (2019). Senescence and defense pathways contribute to heterosis. *Plant Physiology*, pp.01205.2018.

**DOI:10.1104/pp.18.01205**

JULKOWSKA, M. M., SAADE, S., AGARWAL, G., GAO, G., PAILLES, Y., ET AL. (2019). MVApp - Multivariate analysis application for streamlined data analysis and curation. *Plant Physiology*, pp.00235.2019.

**DOI:10.1104/pp.19.00235**

PAUL K., SORRENTINO M., LUCINI L., ROUPHAEL Y.F, CARDARELLI M., BONINI P., BEGONA M., REYNAUD H.E, CANAGUIER R., TRTÍLEK M., PANZAROVÁ K., COLLA G. (2019). A Combined Phenotypic and Metabolomic Approach for Elucidating the Biostimulant Action of a Plant-derived Protein Hydrolysate on Tomato Grown under Limited Water Availability. *Frontiers in Plant Science*.

**DOI: 10.3389/fpls.2019.00493**

PAUL K, SORRENTINO M, LUCINI L, ROUPHAEL Y, CARDARELLI M, BONINI P, REYNAUD H, CANAGUIER R, TRTÍLEK M, PANZAROVÁ K, COLLA G. (2019). Understanding the Biostimulant Action of Vegetal-Derived Protein Hydrolysates by High-Throughput Plant Phenotyping and Metabolomics: A Case Study on Tomato. *Front Plant Sci.* 8;10:47.

**DOI: 10.3389/fpls.2019.00047**

SYTAR O., BRŮCKOVÁ K., KOVÁR M., ET AL. (2017). Nondestructive detection and biochemical quantification of buckwheat leaves using visible (VIS) and near-infrared (NIR) hyperspectral reflectance imaging. *Journal of Central European Agriculture*. 18(4), p.864-878

**DOI: 10.5513/JCEA01/18.4.1978**

TSCHIRSCH H., JUNKER A., MEYER R. C., & ALTMANN, T. (2017). Establishment of integrated protocols for automated high throughput kinetic chlorophyll fluorescence analyses. *Plant Methods*, 13, 54.

**DOI: 10.1186/s13007-017-0204-4**

BUSH M.S., PIERRAT O, NIBAU C, ET AL.(2016). eIF4A RNA Helicase Associates with Cyclin-Dependent Protein Kinase A in Proliferating Cells and is Modulated by Phosphorylation[b]. *Plant Physiol.* 2016 Jul 7,

**DOI: 10.1104/pp.16.00435**

BELL J. AND DEE M. H. (2016). The subset-matched Jaccard index for evaluation of Segmentation for Plant Images. *Front Plant Sci.* 2016; 7: 1985.

**DOI: 10.3389/fpls.2016.01985**

BELL J. AND DEE M. H. (2016). *Watching plants grow – a position paper on computer vision and Arabidopsis thaliana. IET Computer Vision. Volume 11., p. 113 – 121.*

**DOI: 10.1049/iet-cvi.2016.0127**

**PLANTSCREEN™ XYZ SYSTEM:**

SORRENTINO M., DE DIEGO N., UGENA L., SPÍCHAL L., LUCINI L., MIRAS-MORENO B., ZHANG L., ROUPHAEL Y., COLLA G. AND PANZAROVÁ K. (2021). *Seed Priming With Protein Hydrolysates Improves Arabidopsis Growth and Stress Tolerance to Abiotic Stresses. Front. Plant Sci. 12:626301.*

**DOI: 10.3389/fpls.2021.626301**

BRYKSOVÁ M., HYBENOVÁ A., HERNÁNDIZ A.E., ET AL. (2020) *Hormopriming to Mitigate Abiotic Stress Effects: A Case Study of N9 -Substituted Cytokinin Derivatives With a Fluorinated Carbohydrate Moiety. Front. Plant Sci. 11:599228.*

**DOI: 10.3389/fpls.2020.599228**

KIM S. L., KIM N., LEE H., LEE E., CHEON K.-S., KIM M., ET AL. (2020). *High-throughput phenotyping platform for analyzing drought tolerance in rice. Planta, 252(3).*

**DOI:10.1007/s00425-020-03436-9**

NISLER J., KOPEČNÝ D., PĚKNÁ Z., KONČITÍKOVÁ R., KOPRNA R., MURVANIDZE N., ET AL. (2020). *Diphenylurea-derived cytokinin oxidase/dehydrogenase inhibitors for biotechnology and agriculture. Journal of Experimental Botany, 72(2), 355–370.*

**DOI:10.1093/jxb/eraa437**

PUNCHKHON C., PLAIMAS K., BUABOOCHA T., SIANGLIW J.L., TOOJINDA T., COMAI L., ET AL. (2020). *Drought-Tolerance Gene Identification Using Genome Comparison and Co-Expression Network Analysis of Chromosome Substitution Lines in Rice. Genes. 11(10):1197.*

**DOI: 10.3390/genes11101197**

AMEZTOY, K., BASLAM, M., SÁNCHEZ-LÓPEZ, Á. M., MUÑOZ, F. J., ET AL. (2019). *Plant responses to fungal volatiles involve global post-translational thiol redox proteome changes that affect photosynthesis. Plant, Cell & Environment.*

**DOI:10.1111/pce.13601**

UGENA L, HÝLOVÁ A, PODLEŠÁKOVÁ K, HUMPLÍK J.F., DOLEŽAL K, DIEGO N, SPÍCHAL L. (2018). *Characterization of Biostimulant Mode of Action Using Novel Multi-Trait High-Throughput Screening of Arabidopsis Germination and Rosette Growth. Front Plant Sci. 2018 Sep 13;9:1327.*

**DOI: 10.3389/fpls.2018.01327**

DE DIEGO N., FÜRST T., HUMPLÍK J. F., ET AL. (2017). *An Automated Method for High-Throughput Screening of Arabidopsis Rosette Growth in Multi-Well Plates and Its Validation in Stress Conditions. Frontiers in Plant Science. Volume 8.*

**DOI: 10.3389/fpls.2017.01702**

**PLANTSCREEN™ XY SYSTEM:**

LYU, J. I., KIM, J. H., CHU, H., TAYLOR, M. A., JUNG, S., ET AL. (2018). Natural allelic variation of GVS1 confers diversity in the regulation of leaf senescence in Arabidopsis. *New Phytologist*.

**DOI:10.1111/nph.15501**

**PLANTSCREEN™ TRANSECT XZ SYSTEM:**

KUMAR P., ERIKSEN R. L., SIMKO I., ET AL. (2021). Insights into Nitrogen Metabolism in the Wild and Cultivated Lettuce as Revealed by Transcriptome and Weighted Gene Co-Expression Network Analysis., *Research Square*.

**DOI: 10.21203/rs.3.rs-749020/v1**

KUMAR P., ERIKSEN R.L., SIMKO I. AND MOU B. (2021). Molecular Mapping of Water-Stress Responsive Genomic Loci in Lettuce (*Lactuca spp.*) Using Kinetics Chlorophyll Fluorescence, Hyperspectral Imaging and Machine Learning. *Front. Genet.* 12:634554.

**DOI: 10.3389/fgene.2021.634554**

ADHIKARI N.D., SIMKO I., MOU B. (2019). Phenomic and Physiological Analysis of Salinity Effects on Lettuce. *Sensors* 19, 4814.

**DOI: 10.3390/s19214814**

MISHRA K. B., MISHRA A, NOVOTNÁ K., ET AL. (2016). Chlorophyll a fluorescence, under half of the adaptive growth-irradiance, for high-throughput sensing of leaf-water deficit in *Arabidopsis thaliana* accessions. *Plant Methods.* 12:46.

**DOI: 10.1186/s13007-016-0145-3**

**PLANTSCREEN™ SC SYSTEM:**

CZEMBOR, E., CZEMBOR, J.H., SUCHECKI, R. ET AL. (2021). DArT-based evaluation of soybean germplasm from Polish Gene Bank. *BMC Res Notes* 14, 343.

**DOI: 10.1186/s13104-021-05750-1**

JARAMILLO ROMAN V., VAN DE ZEDDE R., PELLER J., ET AL. (2021) High-Resolution Analysis of Growth and Transpiration of Quinoa Under Saline Conditions. *Front. Plant Sci.* 12:634311.

**DOI: 10.3389/fpls.2021.634311**

**HYPERSPECTRAL IMAGING UNIT**

MONCHOLI-ESTORNELL A., VAN WITTENBERGHE S., CENDRERO-MATEO M.P., ET AL. (2022). Impact of Structural, Photochemical and Instrumental Effects on Leaf and Canopy Reflectance Variability in the 500–600 nm Range. *Remote Sens.* 14, 56.

**DOI: 10.3390/rs14010056**

KUMAR P., ERIKSEN R.L., SIMKO I. AND MOU B. (2021). Molecular Mapping of Water-Stress Responsive Genomic Loci in Lettuce (*Lactuca spp.*) Using Kinetics Chlorophyll Fluorescence, Hyperspectral Imaging and Machine Learning. *Front. Genet.* 12:634554.

**DOI: 10.3389/fgene.2021.634554**

WILKINSON, S., MUENCH, A., WILSON, R., HOOSHMAND, K., HENDERSON, M., ET AL. (2021). Long-lasting memory of jasmonic acid-dependent immunity requires DNA demethylation and ARGONAUTE1.

**DOI: 10.21203/rs.3.rs-148432/v1**

**REVIEW&PERSPECTIVE ARTICLES PLANTSCREEN™ SYSTEMS:**

BOTYANSZKA, L. (2021). A Review of Imaging and Sensing Technologies for Field Phenotyping. *Acta Horticulturae et Regioecturae*, 24(s1), 58-69.

**DOI: 10.2478/ahr-2021-0011**

LEE, B.; KAM, D.; CHO, Y.; KIM, D.-C.; LEE, D.-H. (2021). Comparing Performances of CNN, BP, and SVM Algorithms for Differentiating Sweet Pepper Parts for Harvest Automation. *Appl. Sci.* 2021, 11, 9583.

**DOI: 10.3390/app11209583**

ADHIKARI, P., ADHIKARI, T. B., LOUWS, F. J., & PANTHEE, D. R. (2020). Advances and Challenges in Bacterial Spot Resistance Breeding in Tomato (*Solanum lycopersicum* L.). *International Journal of Molecular Sciences*, 21(5), 1734.

**DOI:10.3390/ijms21051734**

DEMIDCHIK, V. V., SHASHKO, A. Y., BANDARENKA, U. Y., ET AL. (2020). Plant Phenomics: Fundamental Bases, Software and Hardware Platforms, and Machine Learning. *Russian Journal of Plant Physiology*, 67(3), 397–412.

**DOI:10.1134/s1021443720030061**

DU J., LU X., FAN J., QIN Y., YANG X. AND GUO X. (2020). Image-Based High-Throughput Detection and Phenotype Evaluation Method for Multiple Lettuce Varieties. *Front. Plant Sci.* 11:563386.

**DOI: 10.3389/fpls.2020.563386**

YANG, W., FENG, H., ZHANG, X., ZHANG, J., DOONAN, J. H., ET AL. (2020). Crop Phenomics and High-throughput Phenotyping: Past Decades, Current Challenges and Future Perspectives. *Molecular Plant*.

**DOI:10.1016/j.molp.2020.01.008**

ROUPHAEL Y., SPÍČHAL L., PANZAROVÁ K., ET AL. (2018). High-throughput Plant Phenotyping for Developing Novel Biostimulants: From Lab to Field or From Field to Lab? *Front. Plant Sci.*, 9:1197.

**DOI: 10.3389/fpls.2018.01197**

SYTAR O., ZIVČAK M., OLŠOVSKA K., BRESTIC M. (2018) Perspectives in High-Throughput Phenotyping of Qualitative Traits at the Whole-Plant Level. In: Sengar R., Singh A. (eds) *Eco-friendly Agro-biological Techniques for Enhancing Crop Productivity*. Springer, Singapore.

**DOI: 10.1007/978-981-10-6934-5\_10**

LOBOS G. A., CAMARGO A. V., DEL POZO A., ET AL. (2017). Editorial: Plant Phenotyping and Phenomics for Plant Breeding. *Front. Plant Sci.* 8.

**DOI: 10.3389/fpls.2017.02181**

LYU, J. I., BAEK, S. H., JUNG, S., CHU, H., NAM, H. G., KIM, J., & LIM, P. O. (2017). High-Throughput and Computational Study of Leaf Senescence through a Phenomic Approach. *Frontiers in Plant Science*, 8.

**DOI:10.3389/fpls.2017.00250**

WEBER J., KUNZ, C., PETEINATOS, G., ET AL. (2017). Utilization of Chlorophyll Fluorescence Imaging Technology to Detect Plant Injury by Herbicides in Sugar Beet and Soybean. *Weed Technology*, 1-13.

**DOI:10.1017/wet.2017.22**

CRUZ J. A., SAVAGE L. J., ZEGARAC R., ET AL (2016). Dynamic Environmental Photosynthetic Imaging Reveals Emergent Phenotypes. *Cell Systems*. Volume 2. Issue 6. Pages 365-377.

**DOI: 10.1016/j.cels.2016.06.001**

DA SILVA J. M. (2016). Monitoring Photosynthesis by In Vivo Chlorophyll Fluorescence: Application to High-Throughput Plant Phenotyping. *The Arabidopsis Book 14*: e0185. 2016

**DOI: 10.5772/62391**

RUNGRAT T., AWLIA M., BROWN M. ET AL. (2016). Using Phenomic Analysis of Photosynthetic Function for Abiotic Stress Response Gene Discovery. *The Arabidopsis Book 14*: e0185.

**DOI: 10.1199/tab.0185**

HUMPLIK J.F., LAZAR D., HUSICKOVA A. AND SPICHAL L. (2015): [b]Automated phenotyping of plant shoots using imaging methods for analysis of plant stress responses – a review. *Plant Methods* 11:29, **DOI:10.1186/s13007-015-0072-8**.

BROWN T.B., CHENG R., SIRALT R.R., ET AL. (2014): TraitCapture: genomic and environment modelling of plant phenomic data. *Current Opinion in Plant Biology* 18: pp. 73-79.