

PLANTSCREEN™ SYSTEMS

LIST OF REFERENCES

PLANTSCREEN™ COMPACT SYSTEM:

M. SORRENTINO, G. COLLA, Y. ROUPHAEL, K. PANZAROVÁ, M. TRTÍLEK. (2020). Lettuce reaction to drought stress: automated high-throughput phenotyping of plant growth and photosynthetic performance. *ISHS Acta Horticulturae* 1268.

DOI: 10.17660/ActaHortic.2020.1268.17

HUSIČKOVÁ, A., HUMPLÍK, J. F., HÝBL, M., SPÍCHAL, L., & LAZÁR, D. (2019). Analysis of Cold-Developed vs. Cold-Acclimated Leaves Reveals Various Strategies of Cold Acclimation of Field Pea Cultivars. *Remote Sensing*, 11(24), 2964.

DOI:10.3390/rs11242964

SINGH, A.K.; YADAV, B.S.; DHANAPAL, S.; BERLINER, M.; FINKELSHEIN, A.; CHAMOVITZ, D.A. (2019). CSN5A Subunit of COP9 Signalosome Temporally Buffers Response to Heat in Arabidopsis. *Biomolecules* 2019, 9, 805.

Biomolecules 805.

DOI:10.3390/biom9120805

JANEČKOVÁ, H., HUSIČKOVÁ, A., LAZÁR, D., FERRETTI, U., POSPÍŠIL, P., & ŠPUNDOVÁ, M. (2019). Exogenous application of cytokinin during dark senescence eliminates the acceleration of photosystem II impairment caused by chlorophyll b deficiency in barley. *Plant Physiology and Biochemistry*, 136, 43–51

DOI:10.1016/j.plaphy.2019.01.005

MARCHETTI, C. F., UGENA, L., HUMPLÍK, J. F., POLÁK, M., ET AL. (2019). A Novel Image-Based Screening Method to Study Water-Deficit Response and Recovery of Barley Populations Using Canopy Dynamics Phenotyping and Simple Metabolite Profiling. *Frontiers in Plant Science*, 10.

DOI:10.3389/fpls.2019.01252

RUNGRAT T., ALMONTE A. A., CHENG R., ET AL. (2019) A Genome-Wide Association Study of Non-Photochemical Quenching in response to local seasonal climates in Arabidopsis thaliana, bioRxiv 539379;

DOI: <https://doi.org/10.1101/539379>

WANG, L., POQUE, S., & VALKONEN, J. P. T. (2019). Phenotyping viral infection in sweetpotato using a high-throughput chlorophyll fluorescence and thermal imaging platform. *Plant Methods*, 15(1).

DOI:10.1186/s13007-019-0501-1

WEN, Z., RAFFAELLO, T., ZENG, Z., PAVICIC, M., & ASIEGBU, F. O. (2019). Chlorophyll fluorescence imaging for monitoring effects of *Heterobasidion parviporum* small secreted protein induced cell death and in planta defense gene expression. *Fungal Genetics and Biology*.

DOI:10.1016/j.fgb.2019.02.003

COE R. A., CHATTERJEE J., ACEBRON K., ET AL. (2018). High-throughput chlorophyll fluorescence screening of *Setaria viridis* for mutants with altered CO₂ compensation points. *Functional Plant Biology*.
DOI: 10.1071/FP17322

GANGULY D. R., CRISP P. A., EICHTEN S. R., ET AL. (2018). Maintenance of pre-existing DNA methylation states through recurring excess-light stress. *Plant Cell and Environment*. Vol. 41.
DOI: 10.1111/pce.13324

GANGULY D. R., STONE B. A B., EICHTEN S. E., POGSON B. J. (2018). Excess light priming in *Arabidopsis thaliana* with altered DNA methylomes, *bioRxiv* 475798;
DOI: <https://doi.org/10.1101/475798>

FICHMAN Y., KONCZ Z., REZNIK N., ET AL. (2018). SELENOPROTEIN O is a chloroplast protein involved in ROS scavenging and its absence increases dehydration tolerance in *Arabidopsis thaliana*. *Plant Science*. Volume 270.
DOI: 10.1016/j.plantsci.2018.02.023.

PAVICIC M., MOUHU K., WANG F., ET AL. (2017). Genomic and Phenomic Screens for Flower Related RING Type Ubiquitin E3 Ligases in *Arabidopsis*. *Frontiers in Plant Scienc*. Volume 8.
DOI: 10.3389/fpls.2017.00416

AWLIA M., NIGRO A., FAJKUS J., ET AL. (2016): High-throughput non-destructive phenotyping of traits contributing to salinity tolerance in *Arabidopsis thaliana*. Submitted *Frontiers in Plant Sciences*.
DOI: 10.3389/fpls.2016.01414

SIMKO I., HAYES R. J. AND FURBANK R. T. (2016). Non-destructive Phenotyping of Lettuce Plants in Early Stages of Development with Optical Sensors. *Frontiers in Plant Science*;7:1985.
DOI:10.3389/fpls.2016.01985

HUMPLIK J.F., LAZAR D., FÜRST, T., HUSICKOVA A., HYBL, M. AND SPICHAL L. (2015): Automated integrative high-throughput phenotyping of plant shoots: a case study of the cold-tolerance of pea (*Pisum sativum* L.). *Plant Methods* 19;11:20,
DOI: 10.1186/s13007-015-0063-9

PLANTSCREEN™ MODULAR SYSTEM:

GAO G., TESTER M. A., JULKOWSKA M. M. (2019). The use of high throughput phenotyping for assessment of heat stress-induced changes in *Arabidopsis*. *Biorvix*.
DOI: 10.1101/838102

GONZALEZ-BAYON, R., SHEN, Y., GROSZMANN, M., ZHU, A., WANG, A., ET AL. (2019). Senescence and defense pathways contribute to heterosis. *Plant Physiology*, pp.01205.2018.
DOI:10.1104/pp.18.01205

JULKOWSKA, M. M., SAADE, S., AGARWAL, G., GAO, G., PAILLES, Y., ET AL. (2019). MVApp - Multivariate analysis application for streamlined data analysis and curation. *Plant Physiology*, pp.00235.2019.
DOI:10.1104/pp.19.00235

PAUL K., SORRENTINO M., LUCINI L., ROUPHAEL Y.F., CARDARELLI M., BONINI P., BEGONA M., REYNAUD H.E., CANAGUIER R., TRTÍLEK M., PANZAROVÁ K., COLLA G. (2019). A Combined Phenotypic and Metabolomic Approach for Elucidating the Biostimulant Action of a Plant-derived Protein Hydrolysate on Tomato Grown under Limited Water Availability. *Frontiers in Plant Science*.

DOI: 10.3389/fpls.2019.00493

PAUL K., SORRENTINO M., LUCINI L., ROUPHAEL Y., CARDARELLI M., BONINI P., REYNAUD H., CANAGUIER R., TRTÍLEK M., PANZAROVÁ K., COLLA G. (2019). Understanding the Biostimulant Action of Vegetal-Derived Protein Hydrolysates by High-Throughput Plant Phenotyping and Metabolomics: A Case Study on Tomato. *Front Plant Sci.* 8;10:47.

DOI: 10.3389/fpls.2019.00047

SYTAR O., BRŮCKOVÁ K., KOVÁR M., ET AL. (2017). Nondestructive detection and biochemical quantification of buckwheat leaves using visible (VIS) and near-infrared (NIR) hyperspectral reflectance imaging. *Journal of Central European Agriculture.* 18(4), p.864-878

DOI: 10.5513/JCEA01/18.4.1978

TSCHIRSCH H., JUNKER A., MEYER R. C., & ALTMANN, T. (2017). Establishment of integrated protocols for automated high throughput kinetic chlorophyll fluorescence analyses. *Plant Methods*, 13, 54.

DOI: 10.1186/s13007-017-0204-4

BUSH M.S., PIERRAT O., NIBAU C, ET AL.(2016). eIF4A RNA Helicase Associates with Cyclin-Dependent Protein Kinase A in Proliferating Cells and is Modulated by Phosphorylation[b]. *Plant Physiol.* 2016 Jul 7,

DOI: 10.1104/pp.16.00435

BELL J. AND DEE M. H. (2016). The subset-matched Jaccard index for evaluation of Segmentation for Plant Images. *Front Plant Sci.* 2016; 7: 1985.

DOI: 10.3389/fpls.2016.01985

BELL J. AND DEE M. H. (2016). Watching plants grow – a position paper on computer vision and *Arabidopsis thaliana*. *IET Computer Vision.* Volume 11., p. 113 – 121.

DOI: 10.1049/iet-cvi.2016.0127

PLANTSCREEN™ XYZ SYSTEM:

AMEZTOY, K., BASLAM, M., SÁNCHEZ-LÓPEZ, Á. M., MUÑOZ, F. J., ET AL. (2019). Plant responses to fungal volatiles involve global post-translational thiol redox proteome changes that affect photosynthesis. *Plant, Cell & Environment*.

DOI:10.1111/pce.13601

UGENA L, HÝLOVÁ A, PODLEŠÁKOVÁ K, HUMPLÍK J.F., DOLEŽAL K, DIEGO N, SPÍCHAL L. (2018). Characterization of Biostimulant Mode of Action Using Novel Multi-Trait High-Throughput Screening of *Arabidopsis* Germination and Rosette Growth. *Front Plant Sci.* 2018 Sep 13;9:1327.

DOI: 10.3389/fpls.2018.01327

DE DIEGO N., FÜRST T., HUMPLÍK J. F., ET AL. (2017). An Automated Method for High-Throughput Screening of *Arabidopsis* Rosette Growth in Multi-Well Plates and Its Validation in Stress Conditions. *Frontiers in Plant Science.* Volume 8.

DOI: 10.3389/fpls.2017.01702

PLANTSCREEN™ XY SYSTEM:

LYU, J. I., KIM, J. H., CHU, H., TAYLOR, M. A., JUNG, S., ET AL. (2018). Natural allelic variation of GVS1 confers diversity in the regulation of leaf senescence in *Arabidopsis*. *New Phytologist*.

DOI:10.1111/nph.15501

PLANTSCREEN™ TRANSECT XZ SYSTEM:

ADHIKARI N.D., SIMKO I., MOU B. (2019). Phenomic and Physiological Analysis of Salinity Effects on Lettuce. *Sensors* 19, 4814.

DOI: 10.3390/s19214814

MISHRA K. B., MISHRA A, NOVOTNÁ K., ET AL. (2016). Chlorophyll a fluorescence, under half of the adaptive growth-irradiance, for high-throughput sensing of leaf-water deficit in *Arabidopsis thaliana* accessions. *Plant Methods*. 12:46.

DOI: 10.1186/s13007-016-0145-3

REVIEW&PERSPECTIVE ARTICLES PLANTSCREEN™ SYSTEMS:

ADHIKARI, P., ADHIKARI, T. B., LOUWS, F. J., & PANTHEE, D. R. (2020). Advances and Challenges in Bacterial Spot Resistance Breeding in Tomato (*Solanum lycopersicum* L.). *International Journal of Molecular Sciences*, 21(5), 1734.

DOI:10.3390/ijms21051734

YANG, W., FENG, H., ZHANG, X., ZHANG, J., DOONAN, J. H., ET AL. (2020). Crop Phenomics and High-throughput Phenotyping: Past Decades, Current Challenges and Future Perspectives. *Molecular Plant*.

DOI:10.1016/j.molp.2020.01.008

ROUPHAEL Y., SPÍČHAL L., PANZAROVÁ K., ET AL. (2018). High-throughput Plant Phenotyping for Developing Novel Biostimulants: From Lab to Field or From Field to Lab? *Front. Plant Sci.*, 9:1197.

DOI: 10.3389/fpls.2018.01197

SYTAR O., ZIVČAK M., OLŠOVSKA K., BRESTIC M. (2018) Perspectives in High-Throughput Phenotyping of Qualitative Traits at the Whole-Plant Level. In: Sengar R., Singh A. (eds) *Eco-friendly Agro-biological Techniques for Enhancing Crop Productivity*. Springer, Singapore.

DOI: 10.1007/978-981-10-6934-5_10

LOBOS G. A., CAMARGO A. V., DEL POZO A., ET AL. (2017). Editorial: Plant Phenotyping and Phenomics for Plant Breeding. *Front. Plant Sci.* 8.

DOI: 10.3389/fpls.2017.02181

LYU, J. I., BAEK, S. H., JUNG, S., CHU, H., NAM, H. G., KIM, J., & LIM, P. O. (2017). High-Throughput and Computational Study of Leaf Senescence through a Phenomic Approach. *Frontiers in Plant Science*, 8.

DOI:10.3389/fpls.2017.00250

WEBER J., KUNZ, C., PETEINATOS, G., ET AL. (2017). Utilization of Chlorophyll Fluorescence Imaging Technology to Detect Plant Injury by Herbicides in Sugar Beet and Soybean. *Weed Technology*, 1-13.

DOI:10.1017/wet.2017.22

CRUZ J. A., SAVAGE L. J., ZEGARAC R., ET AL (2016). Dynamic Environmental Photosynthetic Imaging Reveals Emergent Phenotypes. *Cell Systems*. Volume 2. Issue 6. Pages 365-377.

DOI: 10.1016/j.cels.2016.06.001

DA SILVA J. M. (2016). Monitoring Photosynthesis by In Vivo Chlorophyll Fluorescence: Application to High-Throughput Plant Phenotyping. *The Arabidopsis Book 14*: e0185. 2016

DOI: 10.5772/62391

RUNGRAT T., AWLIA M., BROWN M. ET AL. (2016). Using Phenomic Analysis of Photosynthetic Function for Abiotic Stress Response Gene Discovery. *The Arabidopsis Book 14*: e0185.

DOI: 10.1199/tab.0185

HUMPLIK J.F., LAZAR D., HUSICKOVA A. AND SPICHAL L. (2015): [b]Automated phenotyping of plant shoots using imaging methods for analysis of plant stress responses – a review. *Plant Methods* 11:29,

DOI:10.1186/s13007-015-0072-8.

BROWN T.B., CHENG R., SIRALT R.R., ET AL. (2014): TraitCapture: genomic and environment modelling of plant phenomic data. *Current Opinion in Plant Biology* 18: pp. 73-79.

03/2020