

PLANTSCREEN™ SYSTEMS

LIST OF REFERENCES

PLANTSCREEN™ COMPACT SYSTEM:

HUMPLIK J.F., LAZAR D., FÜRST, T., HUSICKOVA A., HYBL, M. AND SPICHAL L. (2015): Automated integrative high-throughput phenotyping of plant shoots: a case study of the cold-tolerance of pea (*Pisum sativum* L.). *Plant Methods* 19;11:20,

DOI: 10.1186/s13007-015-0063-9

SIMKO I., HAYES R. J. AND FURBANK R. T. (2016). NON-DESTRUCTIVE PHENOTYPING OF LETTUCE PLANTS IN EARLY STAGES OF DEVELOPMENT WITH OPTICAL SENSORS. *FRONTIERS IN PLANT SCIENCE*;7:1985.

DOI:10.3389/fpls.2016.01985

AWLIA M., NIGRO A., FAJKUS J., ET AL. (2016): High-throughput non-destructive phenotyping of traits contributing to salinity tolerance in *Arabidopsis thaliana*. Submitted *Frontiers in Plant Sciences*.

DOI: 10.3389/fpls.2016.01414

PAVICIC M., MOUHU K., WANG F., ET AL. (2017). Genomic and Phenomic Screens for Flower Related RING Type Ubiquitin E3 Ligases in *Arabidopsis*. *Frontiers in Plant Scienc. Volume 8*.

DOI: 10.3389/fpls.2017.00416

COE R. A., CHATTERJEE J., ACEBRON K., ET AL. (2018). High-throughput chlorophyll fluorescence screening of *Setaria viridis* for mutants with altered CO₂ compensation points. *Functional Plant Biology*.

DOI: 10.1071/FP17322

GANGULY D. R., CRISP P. A., EICHTEN S. R., ET AL. (2018). Maintenance of pre-existing DNA methylation states through recurring excess-light stress. *Plant Cell and Environment. Vol. 41*.

DOI: 10.1111/pce.13324

GANGULY D. R., STONE B. A B., EICHTEN S. E., POGSON B. J. (2018). Excess light priming in *Arabidopsis thaliana* with altered DNA methylomes, *bioRxiv* 475798;

DOI: <https://doi.org/10.1101/475798>

FICHMAN Y., KONCZ Z., REZNIK N., ET AL. (2018). SELENOPROTEIN O is a chloroplast protein involved in ROS scavenging and its absence increases dehydration tolerance in *Arabidopsis thaliana*. *Plant Science. Volume 270*.

DOI: 10.1016/j.plantsci.2018.02.023.

HUSIČKOVÁ, A., HUMPLÍK, J. F., HÝBL, M., SPÍČHAL, L., & LAZÁR, D. (2019). Analysis of Cold-Developed vs. Cold-Acclimated Leaves Reveals Various Strategies of Cold Acclimation of Field Pea Cultivars. *Remote Sensing, 11(24)*, 2964.

DOI:10.3390/rs11242964

SINGH, A.K.; YADAV, B.S.; DHANAPAL, S.; BERLINER, M.; FINKELSHTEIN, A.; CHAMOVITZ, D.A. (2019). CSN5A Subunit of COP9 Signalosome Temporally Buffers Response to Heat in Arabidopsis. *Biomolecules* 2019, 9, 805. *Biomolecules* 805.

DOI:10.3390/biom9120805

JANEČKOVÁ, H., HUSIČKOVÁ, A., LAZÁR, D., FERRETTI, U., POSPÍŠIL, P., & ŠPUNDOVÁ, M. (2019). Exogenous application of cytokinin during dark senescence eliminates the acceleration of photosystem II impairment caused by chlorophyll b deficiency in barley. *Plant Physiology and Biochemistry*, 136, 43–51

DOI:10.1016/j.plaphy.2019.01.005

MARCHETTI, C. F., UGENA, L., HUMPLÍK, J. F., POLÁK, M., ET AL. (2019). A Novel Image-Based Screening Method to Study Water-Deficit Response and Recovery of Barley Populations Using Canopy Dynamics Phenotyping and Simple Metabolite Profiling. *Frontiers in Plant Science*, 10.

DOI:10.3389/fpls.2019.01252

RUNGRAT T., ALMONTE A. A., CHENG R., ET AL. (2019) A Genome-Wide Association Study of Non-Photochemical Quenching in response to local seasonal climates in *Arabidopsis thaliana*, bioRxiv 539379;

DOI: <https://doi.org/10.1101/539379>

WANG, L., POQUE, S., & VALKONEN, J. P. T. (2019). Phenotyping viral infection in sweetpotato using a high-throughput chlorophyll fluorescence and thermal imaging platform. *Plant Methods*, 15(1).

DOI:10.1186/s13007-019-0501-1

WEN, Z., RAFFAELLO, T., ZENG, Z., PAVICIC, M., & ASIEGBU, F. O. (2019). Chlorophyll fluorescence imaging for monitoring effects of *Heterobasidion parviporum* small secreted protein induced cell death and in planta defense gene expression. *Fungal Genetics and Biology*.

DOI:10.1016/j.fgb.2019.02.003

AWLIA M., ALSHAREEF N., SABER N., K. PANZAROVÁ, M. TRTÍLEK., ET AL. (2020). Genetic mapping of the early responses to salt stress in *Arabidopsis thaliana*. bioRxiv.

DOI: 10.1101/2020.10.02.324178

HÖCKERSTEDT, L., SUSI, H., & LAINE, A. (2020). Effect of maternal infection on progeny growth and resistance mediated by maternal genotype and nutrient availability. *Journal of Ecology*.

DOI:10.1111/1365-2745.13568

SORRENTINO M., COLLA G., ROUPHAEL Y., PANZAROVÁ K., TRTÍLEK M. (2020). Lettuce reaction to drought stress: automated high-throughput phenotyping of plant growth and photosynthetic performance. *ISHS Acta Horticulturae* 1268.

DOI: 10.17660/ActaHortic.2020.1268.17

FLÜTSCH S., NIGRO A., CONCI F., FAJKUS J., THALMANN M., TRTÍLEK M., PANZAROVÁ K., ET AL. (2020). Glucose uptake to guard cells via STP transporters provides carbon sources for stomatal opening and plant growth. *EMBO Reports* (2020) 21.

DOI: 10.15252/embr.201949719

BLICHARZ, S., BEEMSTER, G. T. S., RAGNI, L., DE DIEGO, N., SPÍČHAL, L., ET AL. (2021). Phloem exudate metabolic content reflects the response to water-deficit stress in pea plants (*Pisum sativum* L.). *The Plant Journal*, 106(5), 1338–1355.

DOI:10.1111/tpj.15240

CHATTERJEE, J., COE, R. A., ACEBRON, K., THAKUR, V., YENNAMALLI, R. M., ET AL. (2021). Identification of a low CO₂ responsive mutant from chemical mutagenesis of *Setaria viridis* shows that reduced carbonic anhydrase severely limits C₄ photosynthesis. *Journal of Experimental Botany*.

DOI: 10.1093/jxb/erab039

PALONEN, P., LAINE, T., & MOUHU, K. (2021). Floricane yield and berry quality of seven primocane red raspberry (*Rubus idaeus* L.) cultivars. *Scientia Horticulturae*, 285, 110201.

DOI: 10.1016/j.scienta.2021.110201

PANDEY, A. K., RUBIALES, D., WANG, Y., FANG, P., SUN, T., LIU, N., & XU, P. (2021). Omics resources and omics-enabled approaches for achieving high productivity and improved quality in pea (*Pisum sativum* L.). *Theoretical and Applied Genetics*, 134(3), 755–776.

DOI:10.1007/s00122-020-03751-5

PAVICIC, M.; OVERMYER, K.; REHMAN A. U. ET AL. (2021). Image-Based Methods to Score Fungal Pathogen Symptom Progression and Severity in Excised *Arabidopsis* Leaves. *Plants* 2021, 10, 158.

DOI: 10.3390/plants10010158

SORRENTINO M., DE DIEGO N., UGENA L., SPÍČHAL L., LUCINI L., MIRAS-MORENO B., ZHANG L., ROUPHAEL Y., COLLA G. AND PANZAROVÁ K. (2021). Seed Priming With Protein Hydrolysates Improves *Arabidopsis* Growth and Stress Tolerance to Abiotic Stresses. *Front. Plant Sci.* 12:626301.

DOI: 10.3389/fpls.2021.626301

SORRENTINO M., PANZAROVÁ K., SPYROGLOU I., SPÍČHAL L., ET AL. (2022). Integration of Phenomics and Metabolomics Datasets Reveals Different Mode of Action of Biostimulants Based on Protein Hydrolysates in *Lactuca sativa* L. and *Solanum lycopersicum* L. Under Salinity. *Front. Plant Sci.* 12:808711.

DOI: 10.3389/fpls.2021.808711

FARAGÓ D, ZSIGMOND L, BENYÓ D, ET AL. (2022). Small paraquat resistance proteins modulate paraquat and ABA responses and confer drought tolerance to overexpressing *Arabidopsis* plants. *Plant Cell Environ.* 45(7): 1985–2003.

DOI: 10.1111/pce.14338

HAN Y, HAOUEL A, GEORGII E, PRIEGO-CUBERO S, ET AL. (2023). Histone Deacetylases HD2A and HD2B Undergo Feedback Regulation by ABA and Modulate Drought Tolerance via Mediating ABA-Induced Transcriptional Repression Genes. (*Basel*). 14(6):1199.

DOI: 10.3390/genes14061199

PAVICIC MIRKO , MOUHU KATRIINA , HAUTSALO JUHO ET AL. (2023). Image-based time series analysis to establish differential disease progression for two *Fusarium* head blight pathogens in oat spikelets with variable resistance. *Front. Plant Sci.* 14.

DOI: 10.3389/fpls.2023.1126717

ŠPUNDOVÁ M, KUČEROVÁ Z, NOŽKOVÁ V, ET AL. (2024). What to Choose for Estimating Leaf Water Status—Spectral Reflectance or In vivo Chlorophyll Fluorescence? *Plant Phenomics*. 6: 0243.

DOI: 10.34133/plantphenomics.0243

KANT K, RIGÓ G, FARAGÓ D, ET AL. (2024). Mutation in *Arabidopsis* mitochondrial Pentatricopeptide repeat 40 gene affects tolerance to water deficit. *Planta*. 259(4): 78.

DOI: 10.1007/s00425-024-04354-w

EBRAHIMI NAGHANI, S., ŠMERINGAI, J., PLESKAČOVÁ, B. ET AL. (2024). Integrative phenotyping analyses reveal the relevance of the phyB-PIF4 pathway in *Arabidopsis thaliana* reproductive organs at high ambient temperature. *BMC Plant Biol* **24**, 721.

DOI: 10.1186/s12870-024-05394-w

BALKOVA D, MALA K, HEJATKO J, PANZAROVA K, ET AL. (2025). Differential expression and localization of expansins in *Arabidopsis* shoots: implications for cell wall dynamics and drought tolerance. *Front. Plant Sci.*16:1546819.

DOI: 10.3389/fpls.2025.1546819

ARTTU MÄKINEN, HIROFUMI ISHIHARA, SYLVAIN POQUE ET AL. (2025). Photosynthetic adjustments maintain lettuce growth under dynamically changing lighting in controlled indoor farming setups. *bioRxiv* 2025.01.16.633207

DOI: 10.1101/2025.01.16.633207

PLANTSCREEN™ MODULAR SYSTEM:

BUSH M.S., PIERRAT O, NIBAU C, ET AL. (2016). eIF4A RNA Helicase Associates with Cyclin-Dependent Protein Kinase A in Proliferating Cells and is Modulated by Phosphorylation[b]. *Plant Physiol.* .

DOI: 10.1104/pp.16.00435

BELL J. AND DEE M. H. (2016). The subset-matched Jaccard index for evaluation of Segmentation for Plant Images. *Front Plant Sci.* 7: 1985.

DOI: 10.3389/fpls.2016.01985

BELL J. AND DEE M. (2016) Watching Plants Grow – A position paper on computer vision and *Arabidopsis thaliana*. *IET COMPUTER VISION*. Vol. 11.

DOI: 10.1049/iet-cvi.2016.0127

SYTAR O., BRÜCKOVÁ K., KOVÁR M., ET AL. (2017). Nondestructive detection and biochemical quantification of buckwheat leaves using visible (VIS) and near-infrared (NIR) hyperspectral reflectance imaging. *Journal of Central European Agriculture*. 18(4), p.864-878.

DOI: 10.5513/JCEA01/18.4.1978

TSCHIRSCH H., JUNKER A., MEYER R. C., & ALTMANN, T. (2017). Establishment of integrated protocols for automated high throughput kinetic chlorophyll fluorescence analyses. *Plant Methods*, 13, 54.

DOI: 10.1186/s13007-017-0204-4

GONZALEZ-BAYON, R., SHEN, Y., GROSZMANN, M., ZHU, A., WANG, A., ET AL. (2018). Senescence and defense pathways contribute to heterosis. *Plant Physiology*, pp.01205.

DOI:10.1104/pp.18.01205

JULKOWSKA, M. M., SAADE, S., AGARWAL, G., GAO, G., PAILLES, Y., ET AL. (2019). MVApp - Multivariate analysis application for streamlined data analysis and curation. *Plant Physiology*, pp.00235.

DOI:10.1104/pp.19.00235

PAUL K, SORRENTINO M, LUCINI L, ROUPHAEL Y, CARDARELLI M, BONINI P, REYNAUD H, CANAGUIER R, TRTÍLEK M, PANZAROVÁ K, COLLA G. (2019). Understanding the Biostimulant Action of Vegetal-Derived Protein Hydrolysates by High-Throughput Plant Phenotyping and Metabolomics: A Case Study on Tomato. *Front Plant Sci.* 8;10:47.

DOI: 10.3389/fpls.2019.00047

FERRONI, L., ŽIVČAK, M., SYTAR, O., KOVÁR, M., WATANABE, N., ET AL. (2020). Chlorophyll-depleted wheat mutants are disturbed in photosynthetic electron flow regulation but can retain an acclimation ability to a fluctuating light regime. *Environmental and Experimental Botany*, 104156.

DOI:10.1016/j.envexpbot.2020.1041

GAO, G., TESTER, M. A., & JULKOWSKA, M. M. (2020). The use of high-throughput phenotyping for assessment of heat stress-induced changes in arabidopsis. *Plant Phenomics*.

DOI: 10.34133/2020/3723916

ULLAH, S.; HENKE, M.; NARISSETTI, N.; PANZAROVÁ, K.; TRTÍLEK, M.; HEJATKO, J.; ET AL. (2021). Towards Automated Analysis of Grain Spikes in Greenhouse Images Using Neural Network Approaches: A Comparative Investigation of Six Methods. *Sensors* 21, 7441.

DOI: 10.3390/s21227441

ABDELHAKIM, L. O. A., ROSENQVIST, E., WOLLENWEBER, B., OTTOSEN, C.-O., & PANZAROVÁ, K., ET AL. (2021). Investigating Combined Drought- and Heat Stress Effects in Wheat under Controlled Conditions by Dynamic Image-Based Phenotyping. *Agronomy*, 11(2), 364.

DOI:10.3390/agronomy11020364

GIRIJA, A., HAN, J., CORKE, F., BROOK, J., DOONAN, J., YADAV, R. ET AL. (2022) Elucidating drought responsive networks in *tef* (*Eragrostis tef*) using phenomic and metabolomic approaches. *Physiologia Plantarum*, 174(1), e13597. Available from:

DOI: 10.1111/ppl.13597

ODÍN MORÓN-GARCÍA, GINA A. GARZÓN-MARTÍNEZ, M. J. PILAR MARTÍNEZ-MARTÍN, ET AL. (2022). Genetic architecture of variation in *Arabidopsis thaliana* rosettes. *PLoS One.*;17(2):e0263985.

DOI: 10.1371/journal.pone.0263985

HANA FINDUROVÁ, BARBORA VESELÁ, KLÁRA PANZAROVÁ, ET AL. (2023). Phenotyping drought tolerance and yield performance of barley using a combination of imaging methods. *Environmental and Experimental Botany*, Volume 209.

DOI: 10.1016/j.envexpbot.2023.105314

SHEIKH AH, TABASSUM N, RAWAT A, ET AL. (2023). *m⁶A RNA methylation counteracts dark-induced leaf senescence in Arabidopsis*. *Plant Physiol.*;194(4):2663–2678.

DOI: 10.1098/rsob.210353

POLLARI M, SIPARI N, POQUE S, ET AL. (2023). *Effects of Poty-Potexvirus Synergism on Growth, Photosynthesis and Metabolite Status of Nicotiana benthamiana*. *Viruses*. 121.

DOI: 10.3390/v15010121

MAILLOT Y, MONGELARD G, QUÉRO A, ET AL. (2023). *Pathogen Stopping and Metabolism Modulation Are Key Points to Linum usitatissimum L. Early Response against Fusarium oxysporum Plants (Basel)*; 12(10): 1963.

DOI: 10.3390/plants12101963

SURATANEE A, CHUTIMANUKUL P, SAELAO T, ET AL. (2024). *Phenolic Content Discrimination In Thai Holy Basil Using Hyperspectral Data Analysis And Machine Learning Techniques*. *PLoS One*. 19(10): e0309132.

DOI: 10.1371/journal.pone.0309132

LANGAN P, CAVEL E, HENCHY J, ET AL. (2024) *Evaluating Waterlogging Stress Response And Recovery In Barley (Hordeum Vulgare L.): An Image-Based Phenotyping Approach*. *Plant Methods.*; 20: 146.

DOI: 10.1186/s13007-024-01256-6

ULLAH S, PANZAROVÁ K, TRTÍLEK M, ET AL. (2024). *High-Throughput Spike Detection in Greenhouse Cultivated Grain Crops with Attention Mechanisms-Based Deep Learning Models*. *Plant Phenomics*. 2024 Mar 11;6:0155.

DOI: 10.34133/plantphenomics.0155

BARBUT FR, CAVEL E, DONEV EN, ET AL. (2024). *Integrity Of Xylan Backbone Affects Plant Responses To Drought* *Front Plant Sci*. 15: 1422701.

DOI: 10.3389/fpls.2024.1422701

TIWARI L.D., BDOLACH E., ET AL. (2024) *Cytonuclear Interactions Modulate The Plasticity Of Photosynthetic Rhythmicity And Growth In Wild Barley*. *Physiologia Plantarum*, 176(1), e14192.

DOI: 10.1111/ppl.14192

ABDELHAKIM L, PLESKAČOVÁ B, RODRIGUEZ-GRANADOS NY, ET AL. (2024). *High Throughput Image-Based Phenotyping for Determining Morphological and Physiological Responses to Single and Combined Stresses in Potato*. *J Vis Exp*.(208).

DOI: 10.3791/66255. PMID: 38912820.

PLANTSCREEN™ XYZ SYSTEMS:

DE DIEGO N., FÜRST T., HUMPLÍK J. F., ET AL. (2017). *An Automated Method for High-Throughput Screening of Arabidopsis Rosette Growth in Multi-Well Plates and Its Validation in Stress Conditions*. *Frontiers in Plant Science*. Volume 8.

DOI: 10.3389/fpls.2017.01702

UGENA L, HÝLOVÁ A, PODLEŠÁKOVÁ K, HUMPLÍK J.F., DOLEŽAL K, DIEGO N, SPÍCHAL L. (2018). *Characterization of Biostimulant Mode of Action Using Novel Multi-Trait High-Throughput Screening of Arabidopsis Germination and Rosette Growth*. *Front Plant Sci.* 2018 Sep 13;9:1327.

DOI: 10.3389/fpls.2018.01327

LYU, J. I., KIM, J. H., CHU, H., TAYLOR, M. A., JUNG, S., ET AL. (2018). *Natural Allelic Variation Of GVS1 Confers Diversity In The Regulation Of Leaf Senescence In Arabidopsis*. *New Phytologist*.

DOI:10.1111/nph.15501

AMEZTOY, K., BASLAM, M., SÁNCHEZ-LÓPEZ, Á. M., MUÑOZ, F. J., ET AL. (2019). *Plant responses to fungal volatiles involve global post-translational thiol redox proteome changes that affect photosynthesis*. *Plant, Cell & Environment*.

DOI:10.1111/pce.13601

BRYKSOVÁ M., HYBENOVÁ A., HERNÁNDEZ A.E., ET AL. (2020) *Hormopriming to Mitigate Abiotic Stress Effects: A Case Study of N9 -Substituted Cytokinin Derivatives With a Fluorinated Carbohydrate Moiety*. *Front. Plant Sci.* 11:599228.

DOI: 10.3389/fpls.2020.599228

KIM S. L., KIM N., LEE H., LEE E., CHEON K.-S., KIM M., ET AL. (2020). *High-throughput phenotyping platform for analyzing drought tolerance in rice*. *Planta*, 252(3).

DOI:10.1007/s00425-020-03436-9

NISLER J., KOPEČNÝ D., PĚKNÁ Z., KONČITÍKOVÁ R., KOPRNA R., MURVANIDZE N., ET AL.(2020). *Diphenylurea-derived cytokinin oxidase/dehydrogenase inhibitors for biotechnology and agriculture*. *Journal of Experimental Botany*, 72(2), 355–370.

DOI:10.1093/jxb/eraa437

PUNCHKHON C., PLAIMAS K., BUABOOCHA T., SIANGLIW J.L., TOOJINDA T., COMAI L., ET AL. (2020). *Drought-Tolerance Gene Identification Using Genome Comparison and Co-Expression Network Analysis of Chromosome Substitution Lines in Rice*. *Genes*. 11(10):1197.

DOI: 10.3390/genes11101197

SORRENTINO M., DE DIEGO N., UGENA L., SPÍCHAL L., LUCINI L., MIRAS-MORENO B., ZHANG L., ROUPHAEL Y., COLLA G. AND PANZAROVÁ K. (2021). *Seed Priming With Protein Hydrolysates Improves Arabidopsis Growth and Stress Tolerance to Abiotic Stresses*. *Front. Plant Sci.* 12:626301.

DOI: 10.3389/fpls.2021.626301

GARASSINO F., CARACCILO L., VAN DE BELT J. ET AL. (2023). *Analysis of natural variation in photosynthesis in a panel of Brassicaceae species In: GARASSINO F. Blazing A Trail Towards Higher Photosynthetic Efficiency: A Multi-Dimensional Study Of Hirschfeldia Incana. Dissertation, chapter 5.*

<https://edepot.wur.nl/639737>

JURADO-RUIZ F, NGUYEN TP, PELLER J, ET AL. (2024). *Letra: A Leaf Tracking Workflow Based On Convolutional Neural Networks And Intersection Over Union*. *Plant Methods*. 20: 11.

DOI: 10.1186/s13007-024-01138-x

RAYAPROLU L, JAYASANKAR K., AARTS M.G. AND HARBINSON J. (2024). *Response Of Photosynthetic Efficiency To Short-Term Fluctuating Light And Cold In Tomato*. *BioRxiv* 2024.07.02.601750.

DOI: 10.1101/2024.07.02.601750

PLANTSCREEN™ TRANSECT XZ SYSTEM:

MISHRA K. B., MISHRA A, NOVOTNÁ K., ET AL. (2016). *Chlorophyll a fluorescence, under half of the adaptive growth-irradiance, for high-throughput sensing of leaf-water deficit in Arabidopsis thaliana accessions*. *Plant Methods*. 12:46.

DOI: 10.1186/s13007-016-0145-3

ADHIKARI N.D., SIMKO I., MOU B. (2019). *Phenomic and Physiological Analysis of Salinity Effects on Lettuce*. *Sensors* 19, 4814.

DOI: 10.3390/s19214814

KUMAR P., ERIKSEN R. L., SIMKO I., ET AL. (2021). *Insights into Nitrogen Metabolism in the Wild and Cultivated Lettuce as Revealed by Transcriptome and Weighted Gene Co-Expression Network Analysis.*, *Research Square*.

DOI: 10.21203/rs.3.rs-749020/v1

KUMAR P., ERIKSEN R.L., SIMKO I. AND MOU B. (2021). *Molecular Mapping of Water-Stress Responsive Genomic Loci in Lettuce (Lactuca spp.) Using Kinetics Chlorophyll Fluorescence, Hyperspectral Imaging and Machine Learning*. *Front. Genet.* 12:634554.

DOI: 10.3389/fgene.2021.634554

HUI PENG, REBECCA ZHAO, RICHARD SMITH AND IVAN SIMKO, (2022). *Phenotypic and genetic analyses of yellow spot malady in lettuce*. *Scientia Horticulturae*, Volume 305.

DOI: 10.1016/j.scienta.2022.111389

SIMKO I AND ZHAO R. (2023). *Phenotypic characterization, plant growth and development, genome methylation, and mineral elements composition of neotetraploid lettuce (Lactuca sativa L.)*. *Front Plant Sci.* 14: 1296660.

DOI: 10.3389/fpls.2023.1296660

PLANTSCREEN SC SYSTEM:

CZEMBOR, E., CZEMBOR, J.H., SUCHECKI, R. ET AL. (2021). *DART-BASED EVALUATION OF SOYBEAN GERMPLASM FROM POLISH GENE BANK*. *BMC RES NOTES* 14, 343.

DOI: 10.1186/s13104-021-05750-1

JARAMILLO ROMAN V., VAN DE ZEDDE R., PELLER J., ET AL. (2021). *High-Resolution Analysis Of Growth And Transpiration Of Quinoa Under Saline Conditions*. *Front. Plant Sci.* 12:634311.

DOI: 10.3389/fpls.2021.634311

THEEUWEN TPJM, WIJFIES RY, DORUSSEN D, LAWSON AW, ET AL. (2024). *Species-Wide Inventory Of Arabidopsis Thaliana Organellar Variation Reveals Ample Phenotypic Variation For Photosynthetic Performance*. *Proc Natl Acad Sci U S A.* 121(49): e2414024121.

DOI: 10.1073/pnas.2414024121

JÁN ŠMERINGAI, JIŘÍ RUDOLF, MARTIN TRTÍLEK, ET AL. (2024). *Shoot Phenotyping Of Cytokinin Receptors Mutants Revealed Fluorescence Parameters As Early Markers Of Drought Stress*. *BioRxiv* 2023.11.30.569457

DOI:10.1101/2023.11.30.569457

RAÚL Y. WIJFJES, RENÉ BOESTEN, FRANK F. M. BECKER ET AL. (2024). *Local Adaptation Of Arabidopsis Thaliana In A Small Geographic Region With Mild Environmental Clines*. In: RENÉ BOESTEN *Improvise. Adapt. Overcome. Dissertation, chapter 4.*

<https://edepot.wur.nl/646283#page=71>

RAÚL Y. WIJFJES, RENÉ BOESTEN, FRANK F. M. BECKER, ET AL. (2024). *Allelic Variants Confer Arabidopsis Adaptation To Small Regional Environmental Differences*. *The Plant J.* 120 (4).

DOI 10.1111/tpj.17067

SECOMANDI E, DE GREGORIO MA, CASTRO-CEGRÍ A AND LUCINI L. (2025). *Biochemical, Photosynthetic And Metabolomics Insights Of Single And Combined Effects Of Salinity, Heat, Cold And Drought In Arabidopsis*. *Physiol Plant.*;177(1):e70062.

DOI: 10.1111/ppl.70062

SECOMANDI E, SENIZZA B, DE GREGORIO MA, ET AL. (2025). *Phenotyping And Metabolomics Insights Into The Effect Of Melatonin In Lettuce Under Non-Stress And Salinity Conditions*. *Physiol Plant*;177(1):e70055.

DOI: 10.1111/ppl.70055

HYPERSPECTRAL IMAGING UNIT

KUMAR P., ERIKSEN R.L., SIMKO I. AND MOU B. (2021). *Molecular Mapping of Water-Stress Responsive Genomic Loci in Lettuce (Lactuca spp.) Using Kinetics Chlorophyll Fluorescence, Hyperspectral Imaging and Machine Learning*. *Front. Genet.* 12:634554.

DOI: 10.3389/fgene.2021.634554

WILKINSON, S., MUENCH, A., WILSON, R., HOOSHMAND, K., HENDERSON, M., ET AL. (2021). *Long-lasting memory of jasmonic acid-dependent immunity requires DNA demethylation and ARGONAUTE1*.

DOI: 10.21203/rs.3.rs-148432/v1

MONCHOLI-ESTORNELL A., VAN WITTENBERGHE S., CENDRERO-MATEO M.P., ET AL. (2022). *Impact of structural, photochemical and instrumental effects on leaf and canopy reflectance variability in the 500–600 nm range*. *remote sens.* 14, 56.

DOI: 10.3390/RS14010056

REVIEW&PERSPECTIVE ARTICLES PLANTSCREEN™ SYSTEMS:

HUMPLIK J.F., LAZAR D., HUSICKOVA A. AND SPICHAL L. (2015): *[b]Automated phenotyping of plant shoots using imaging methods for analysis of plant stress responses – a review*. *Plant Methods* 11:29,

DOI:10.1186/s13007-015-0072-8.

RUNGRAT T., AWLIA M., BROWN M. ET AL. (2016). *Using Phenomic Analysis of Photosynthetic Function for Abiotic Stress Response Gene Discovery. The Arabidopsis Book 14: e0185.*
DOI: 10.1199/tab.0185

CRUZ J. A., SAVAGE L. J., ZEGARAC R., ET AL (2016). *Dynamic Environmental Photosynthetic Imaging Reveals Emergent Phenotypes. Cell Systems. Volume 2. Issue 6. Pages 365-377.*
DOI: 10.1016/j.cels.2016.06.001

DA SILVA J. M. (2016). *Monitoring Photosynthesis by In Vivo Chlorophyll Fluorescence: Application to High-Throughput Plant Phenotyping. The Arabidopsis Book 14: e0185.*
DOI: 10.5772/62391

LOBOS G. A., CAMARGO A. V., DEL POZO A., ET AL. (2017). *Editorial: Plant Phenotyping and Phenomics for Plant Breeding. Front. Plant Sci. 8.*
DOI: 10.3389/fpls.2017.02181

LYU, J. I., BAEK, S. H., JUNG, S., CHU, H., NAM, H. G., KIM, J., & LIM, P. O. (2017). *High-Throughput and Computational Study of Leaf Senescence through a Phenomic Approach. Frontiers in Plant Science, 8.*
DOI:10.3389/fpls.2017.00250

WEBER J., KUNZ, C., PETEINATOS, G., ET AL. (2017). *Utilization of Chlorophyll Fluorescence Imaging Technology to Detect Plant Injury by Herbicides in Sugar Beet and Soybean. Weed Technology, 1-13.*
DOI:10.1017/wet.2017.22

ROUPHAEL Y., SPÍČHAL L., PANZAROVÁ K., ET AL. (2018). *HIGH-THROUGHPUT PLANT PHENOTYPING FOR DEVELOPING NOVEL BIOSTIMULANTS: FROM LAB TO FIELD OR FROM FIELD TO LAB? FRONT. PLANT SCI., 9:1197.*
DOI: 10.3389/FPLS.2018.01197

SYTAR O., ZIVČAK M., OLŠOVSKA K., BRESTIC M. (2018) *Perspectives in High-Throughput Phenotyping of Qualitative Traits at the Whole-Plant Level. In: Sengar R., Singh A. (eds) Eco-friendly Agro-biological Techniques for Enhancing Crop Productivity. Springer, Singapore.*
DOI: 10.1007/978-981-10-6934-5_10

ADHIKARI, P., ADHIKARI, T. B., LOUWS, F. J., & PANTHEE, D. R. (2020). *Advances and Challenges in Bacterial Spot Resistance Breeding in Tomato (Solanum lycopersicum L.). International Journal of Molecular Sciences, 21(5), 1734.*
DOI:10.3390/ijms21051734

DEMIDCHIK, V. V., SHASHKO, A. Y., BANDARENKA, U. Y., ET AL. (2020). *PLANT PHENOMICS: FUNDAMENTAL BASES, SOFTWARE AND HARDWARE PLATFORMS, AND MACHINE LEARNING. RUSSIAN JOURNAL OF PLANT PHYSIOLOGY, 67(3), 397–412.*
DOI:10.1134/s1021443720030061

DU J., LU X., FAN J., QIN Y., YANG X. AND GUO X. (2020). *IMAGE-BASED HIGH-THROUGHPUT DETECTION AND PHENOTYPE EVALUATION METHOD FOR MULTIPLE LETTUCE VARIETIES. FRONT. PLANT SCI. 11:563386.*
DOI: 10.3389/FPLS.2020.563386

YANG, W., FENG, H., ZHANG, X., ZHANG, J., DOONAN, J. H., ET AL. (2020). *Crop Phenomics and High-throughput Phenotyping: Past Decades, Current Challenges and Future Perspectives. Molecular Plant.*
DOI:10.1016/j.molp.2020.01.008

BOTYANSZKA, L. (2021). *A REVIEW OF IMAGING AND SENSING TECHNOLOGIES FOR FIELD PHENOTYPING. ACTA HORTICULTURAE ET REGIOTECTURAE, 24(s1), 58-69.*
DOI: 10.2478/AHR-2021-0011

LEE, B.; KAM, D.; CHO, Y.; KIM, D.-C.; LEE, D.-H. (2021). *COMPARING PERFORMANCES OF CNN, BP, AND SVM ALGORITHMS FOR DIFFERENTIATING SWEET PEPPER PARTS FOR HARVEST AUTOMATION. APPL. SCI. 2021, 11, 9583.*
DOI: 10.3390/APP11209583

GILL T, GILL SK, SAINI DK, CHOPRA Y, DE KOFF JP, SANDHU KS. (2022). *A Comprehensive Review of High Throughput Phenotyping and Machine Learning for Plant Stress Phenotyping. Phenomics. 2(3): 156–183.*
DOI: 10.1007/s43657-022-00048-z

AL-TAMIMI N, LANGAN P, BERNÁD V, WALSH J, MANGINA E, NEGRÃO S. (2022). *Capturing Crop Adaptation To Abiotic Stress Using Image-Based Technologies. Open Biol. 12(6):210353.*
DOI: 10.1098/rsob.210353

TAO H, XU S, TIAN Y, LI Z, GE Y, ET AL. (2022). *Proximal And Remote Sensing In Plant Phenomics: 20 Years Of Progress, Challenges, And Perspectives. Plant Commun. 3(6): 100344.*
DOI: 10.1016/j.xplc.2022.100344

TANNER F, TONN S, DE WIT J, VAN DEN ACKERVEKEN G, BERGER B, PLETT D. (2022). *Sensor-Based Phenotyping Of Above-Ground Plant-Pathogen Interactions Plant Methods. 18: 35.*
DOI: 10.1186/s13007-022-00853-7